

The best support for great results


PRESSOLUB

Innovative concept – since 1998

 Flows up to 3 times higher than the average;

Low maintenance as there is no pumps;

- Lubrication oils per pulse at low pressure*, which has been producin great results
 - *Developed by Gascom, recognized and consecrated by the market





TECHNICAL CATALOG



Register in www.gascom.com.br and receive our newsletters.





PRESSOLUB IN USE



BASIC COMPONENTS









GREAT RESULTS IN THE FOLLOWING SECTORS



Sugarcane



Agricultural



Forestry



Infrastructure/Mining

Fuels diesel and/or biodiesel



Supply lubricant and hydraulic oils with higher performances



Supplies grease

Supplies compressed air for:

- Actuation of pneumatic propulsion
- Actuation of pneumatic water pump (version A)
- General cleaning of filters, parts, etc.
- Calibration and inflation of tires

Supplies pressurized water (pumped) for:



- Cleaning lubrication points and others (version A)
- Cleaning of spots and self-cleaning (version AB)



Collection of used oil

PRESSURIZED SYSTEM OPERATION



HIGHLIGHTS



Closed compartments for placing pressurized containers, grease drums, tools, filters, etc.



Assembly of pressurized 250-liter containers for lubricant oils manufactured in compliance with ASME and NR13 standards and unloading assembly with $0 \frac{1}{2}$ x 15 m retractable reels and hoses with supply nozzles.



Diesel supply assembly comprised of pump, metering filter and reel with Ø 1" x 10 m hose and supply nozzle

APPROVED: INMETRO CERTIFIED

PERFORMANCE (FLOWS)

Flow: 100 (I/min)
Unloading hose:

Ø1" x 10 m

Grease Oils

Flow: 140 (I/min)
Unloading hose:
Ø1" x 10 m

LUBRICANTS

FLOW (I/min)

DIESEL

HYDRAULIC 68
15W40 - SAE-90 - EP1 EP2 - 0.5 7.5 12 13

Av. Marginal Sérgio Cancian 5293

Phone: +55 16 2105 3622

CEP [ZIP code]: 14176 503 - Sertãozinho SP

comercial@gascom.com.br | www.gascom.com.br



